

FIG. 1B




FIG. 1A




FIG. 2A




FIG. 2B

FIG. 2C





FIG. 3






Figure 5 ~~Figure 5~~. Visualization of Far-Red and NIR Fluorescence




Figure 6 ~~Visual Scanning of Tissue Sections~~. Visual Scanning of Tissue Sections






Figure 7 ~~Embryos~~ Visualization of Embryos






~~Figure 8A~~. Relative Fluorescence Intensity Standards

Figure 8A



~~Figure 8B~~ Relative Fluorescence Intensity Standards (FITC Filters)  
Figure 8B



~~Figure 8C~~ Relative Fluorescence Intensity Standards (TRITC Filters)  
Figure 8C




Figure 9 ~~Figure 9~~ Direct Visualization of Cy5 Signals in FISH

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☒ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☒ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**